

Drip Arrow

Abbreviation : DAR

Materials: PE



Performance characteristics:


Labyrinth long flow channel arrow handle structure, diaphragm type steady flow dripper, double protection, to ensure uniform water output.

Unique diversion method, infiltration irrigation.

Single arrow, double arrow, four arrow, etc. can be grouped at will, convenient for construction.

Working pressure: 0.8-1.5bar, single arrow flow rate is 1.0L/hr.

It is the most suitable irrigator for potted flowers, potted plants and seedlings. .



Code	Picture	Name	Flow rate	Working Pressure	PC/BAG	PC/CTN	
DAR2000		straight arrow dripper	1L/H	1-2.5KG			
DAR2001		bend arrow dripper	1L/H	1-2.5KG			
DAR2002		bend arrow dripper new	1-3L/H	1-2.5KG			
DAR2003		hook bend arrow dripper	1-3L/H	1-2.5KG			
DAR2100		one way straight	1L/H	1-2.5KG			
DAR2110		one way bend	1L/H	1-2.5KG			

DAR2120		two way straight	1L/H/Arrow	1-2.5KG			
DAR2130		two way bend	1L/H/Arrow	1-2.5KG			
DAR2140		four way straight	1L/H/Arrow	1-2.5KG			
DAR2150		four way bend	1L/H/Arrow	1-2.5KG			
DAR2300		Adaptor 3mm					
DAR2301		coupling 3mm					
DAR2302		Tee connector 4.2mm					
DAR2303		Tee connector 4.8mm					
DAR2304		Four connector 4.2mm					
DAR2305		Four connector 4.8mm					



Langfang Grain Agricultural Development CO.,LTD

Langfang City Hebei Province, China
www.grainlf.com

Tel:+86-18831667850

info@grainlf.com